# Retail Market Procedure NI 16 Data Aggregation

## 31/08/2016

Current Status:	Baseline
Issue Date:	31/08/2016
Version:	3.0

## **Table of Contents**

1.	Introd	uction	3
1.1	Scope	9	3
1.2	Histor	y of Changes	4
1.3	Docur	ment References	4
2.	Proce	dure Description	5
2.1	Aggre	gation - Main Process	5
	211	Process Flow Diagram	5
	2.1.2	Process Description	6
	2.1.3	Process Description	10
	2.1.4	Non Interval Credit Metered Sites	11
	2.1.5	Unmetered Sites	11
	2.1.6	Generators	12
	2.1.7	Reading Status	12
2.2	kWh N	Market Messages	13
	2.2.1	Process Flow Diagram	13
	2.2.2	Process Description	14

## 1. Introduction

## 1.1 Scope

This document is the Retail Market Procedure for Data Aggregation in Northern Ireland.

The Procedure applies to all demand sites registered to Supplier Units and distribution connected sites with participating or non-participating Generators.

- Aggregation Main Process
  - Describes the main process of aggregating
- kWh Market Messages
  - Describes the messages used to provide aggregated Non-Interval Import and Export and Interval Import and Export data to Suppliers, Participants and Non-Participant Generators.

## 1.2 History of Changes

Version	Source of Change	Description of Change
0.1	- Juliange	Initial Draft
0.2	P Merkens	Updated for MCRs 0178, 1013 and 1022
0.91	P Merkens	Updated for CRID 153 following NIE Review and issued for SIG Workshop
0.92	P Merkens	Updated following SIG Workshop
0.93	P Merkens	Ad-hoc settlement run may take place at any time.
		Removal of TUoS Billing Support Data to SONI
0.94	J-E Smith	Final Draft Issued for Supplier Review prior to SIG Approval
1.0	A Ferguson	Baseline SIG Approval
2.0	J-E Smith	Baseline CDA Board Approved
		Updated for DR1110/CRID163
2.1	J-E Smith	Baseline CDA Board Approved
		Updated for DR1118/CRID167
	A Ferguson	Updated to reflect MP NI 39 Glossary of Terms
2.1.1	J-E Smith	Updated for DR1143/CRID184 and UR Approved Change Report
2.1.2	J-E Smith	Updated for CDA Board Comments
3.0	NIE Networks	Updated to incorporate change of name from NIE to NIE Networks


## 1.3 Document References

Document Reference	Document Name
MP NI 7	Generator Nominations
MP NI 14	Readings Processing Non-Interval
MP NI 15	Data Processing Interval
MG NI 30	Change of Unmetered Inventory
MP NI 39	NI Market Procedures - Glossary of Terms

## 2. Procedure Description

## 2.1 Aggregation - Main Process

## 2.1.1 Process Flow Diagram



## 2.1.2 Process Description

distribution connected sites aggregation is  ement Calendar that will : ative aggregation will be
:
ative aggregation will be
than four months after the
than thirteen months after
a Settlement Day at any
I public holidays and non-
me and may contain 46, 48
ch Supplier Unit or trading ator.
o the Meter Point on the
tl I

Step	Role	Action	Interface
		<ul> <li>Settlement Day</li> <li>Non-Interval AUF (Actual Usage Factor) - refer to MP NI 14 Readings Processing Non-Interval for details of AUF calculation</li> <li>Non-Interval EUF (Estimated Usage Factor) where an AUF is unavailable - refer to MP NI 14 Readings Processing Non-Interval for details of EUF calculation and allocation</li> <li>Derived Profile coefficients applicable on the Settlement Day for each register Timeslot for which an EUF or AUF is expected</li> <li>Derived Profile coefficients applicable on the Settlement Day for an unmetered Meter Point for which an AUF is active (refer to MG NI 30 Change of Unmetered Inventory)</li> <li>Half Hourly interval data - refer to MP NI 15 Data Processing Interval for details of Half Hourly Data Collection and Processing</li> <li>Meter Point Connection Voltage, used to determine the Distribution Loss Adjustment Factor (DLAF)</li> <li>Each aggregation, whether indicative, initial or resettlement will be a complete aggregation of all data relating to the Supplier Units or trading site Supplier Units and/or Generator Units included in the aggregation run.</li> <li>For each Trading Period within the Settlement Day a 'measured quantity' will be determined for each Supplier Unit or trading site Supplier Unit and for Generator Unit as the sum of the following quantities for every Meter Point Registered to the Supplier Unit or trading site Supplier Unit and/or Generator Unit on the Settlement Day:         <ul> <li>For Interval metered generator, the actual or estimated Interval export for the Trading Period</li> <li>For each register Timeslot at a Non-Interval metered site where an AUF is effective on the Settlement Day, the proportion of the AUF attributable to the Trading Period</li> <li>For each register Timeslot at a Non-Interval metered site where no AUF is effective on the Settlement Day, the proportion of an EUF attributable to the Trading Period</li> <li>For each unmetered Mete</li></ul></li></ul>	
		NIE Networks will retain the data used in an aggregation run for a period of seven years after the Settlement	

<sup>&</sup>lt;sup>1</sup> The commercial boundary is generally the boundary between the distribution and transmission networks

Step	Role	Action	Interface
		Day.  Refer to sections 2.1.3, 2.1.4, 2.1.5 and 2.1.6 for further detail on Interval, Non-Interval metered, unmetered and generation aggregation respectively.	
6	NIE Networks	Input Audit Trail  For each aggregation run, NIE Networks will maintain a record according to Supplier or Generator Unit of:  • Meter Point(s) included  • For each Interval Meter Point:  • DLAF  • Import and export values used in each period  • Creation Date/Timestamp (this is the time the data is output from aggregation and not the timestamp which appears on the market messages 341 and 342)  • For each Non-Interval Meter Point:  • DLAF  • Load Profile  • For each register Timeslot:  • AUF used, if any  • EUF used in the absence of an AUF  • For each Unmetered Meter Point  • Connection Voltage  • Load Profile  • Annualised expected daily consumption  On request, NIE Networks will make the input audit trail available to the SMO, to the Supplier associated with the Supplier Unit or to the Generator or Intermediary associated with the Generator Unit.	Audit Trail to SMO, Supplier, Generator or Intermediary
7	NIE Networks	Data will be provided to the Single Market Operator as described in the SEM-MDP Meter Data Format documentation in accordance with the timeline given in the SEM-MDP Interface Description. Data for each	SEM-MDP File to SMO

Step	Role	Action	Interface
		aggregation run type will be provided in a separate file. The file will contain data for multiple Supplier Units and trading site Supplier Units.  There will be netting of non-participant export within the values in this file.	
		Refer to section 2.1.7 for details of Reading Status within this file.	
8	NIE Networks	NIE Networks will send an SMO Aggregated Data – Supplier Unit message to Suppliers to advise what has been sent to the SMO in a SEM-MDP File from each aggregation run. There is a separate message for each Supplier Unit that has been included in each SEM-MDP File and which is Registered to the Supplier. The message contains Data Aggregation for Non-Interval Import and Interval Meter Points including Import and the netting of Non Participant Generator Export Data registered to the Supplier Unit, for Indicative D+1, Initial D+4, Re-aggregation M+4, Re-aggregation M+13, Ad-Hoc. Import data is signed as negative.  There will be netting of non-participant export within the values in this message.  Refer to section 2.1.7 for details of Reading Status within this message.	596 to Supplier
9	NIE Networks	NIE Networks will send an SMO Aggregated Data – Generation Unit message to the Participant Generator to advise what has been sent to the SMO in a SEM-MDP File from each aggregation run. There is a separate message for each Participant Generator Unit that has been included in each SEM-MDP File and which is Registered to the Participant Generator. The SMO Aggregated Data – Generation Unit message contains Data Aggregation of Interval Export for Participant Interval Meter Points for the Settlement Date. Generator data is not signed.  The message can be sent to a Supplier nominated to receive the message on the Participant Generator's behalf.  Refer to section 2.1.7 for details of Reading Status within this message.	597 to Participant Generator / Supplier

#### 2.1.3 Interval Metered Sites

For periods within a Settlement Day when the meter was de-energised or not-connected, a zero value will be aggregated and this will be regarded as actual data.

#### **Missing Data for Interval Metered Sites**

Where the Data Processor is unable to provide actual or estimated data for a Trading Period when a meter was connected and energised, the Data Aggregator will use an estimate.

Where Half Hourly Interval data is missing for any Settlement Day, it shall be estimated by using quantities for the same Meter Point on the same day of the week in the previous week.

Where the current day is a working day but the same day of the week in the previous week is not a working day with the same energisation status then the search will extend to through each previous week in turn until a working day with the same energisation status is found.

Where the current day is not a working day then the search will obtain data from the Sunday prior to the current non-working day having the same energisation status.

Where data is not available as provided for above then a default value will be used for each Trading Period for which Half Hourly interval data is missing.

#### 2.1.4 Non Interval Credit Metered Sites

Where an AUF is available for a register Timeslot then this will be converted to a quantity applicable to the Trading Period by multiplying the AUF by the Derived Profile coefficient for the Trading Period, Profile and register Timeslot.

Where an AUF is not available for a register Timeslot but an EUF is available then a quantity applicable to the Trading Period will be calculated by multiplying the EUF by the Derived Profile coefficient for the Trading Period, Profile and register Timeslot.

#### **Missing Data for Non-Interval Metered Sites**

Zero values will be used for a Meter Point in aggregation wherever:

- Profile coefficients are missing for a Profile Class or for a Derived Profile for a Timeslot
- Neither an EUF nor an AUF is available for a Non-Interval site

NIE Networks will investigate each instance of missing data and seek to correct the data in time for the next aggregation run for the affected Settlement Day.

#### 2.1.5 Unmetered Sites

The AUF for will be converted to a quantity applicable to the Trading Period by multiplying the AUF by the Derived Profile coefficient for the Trading Period and Profile.

#### **Missing Data for Unmetered Sites**

Zero values will be used for a Meter Point in aggregation wherever:

- Profile coefficients are missing for a Profile Class
- An AUF is not available for an unmetered site

NIE Networks will investigate each instance of missing data and seek to correct the data in time for the next aggregation run for the affected Settlement Day.

#### 2.1.6 Generators

#### **Non-Participating Generators**

Export is registered to a Supplier Unit according to MP NI 7 Generator Nominations. Export may be registered to a different Supplier Unit than that Registered for import.

Where import and export are Registered against the same Supplier Unit then import and export will be aggregated together into the same total.

#### **Participating Generators**

Export is registered to a Generator Unit in accordance with MP NI 7 Generator Nominations.

#### Micro Generation

On an annual basis NIE Networks will allocate the derived Half Hourly data to the Supplier's virtual MPRN and will process through M13 settlement.

NIE Networks will calculate an annual export value using the following formula: 45% of the declared net capacity x Profile on hours x assumed Load Factor (10%). NIE Networks will apply this value to a Micro Generation profile to calculate annual Half-Hourly data for processing through Wholesale Settlement. Processing through settlement will only be performed on M+13 runs.

#### 2.1.7 Reading Status

For an indicative aggregation run, the Reading Status for a Supplier or Generator Unit and Trading Period or for a trading site Supplier Unit and Trading Period will be set as 'estimated' if data for more than 10% of energised Interval Meter Points is estimated either by the Data Collector or the Data Processor.

For an initial aggregation run, the Reading Status for a Supplier or Generator Unit and Trading Period or for a trading site Supplier or Generator Unit and Trading Period will be set as 'estimated' if data for more than 5% of energised Interval Meter Points is estimated either by the Data Collector or the Data Processor.

For a resettlement aggregation run between four months and thirteen months after the Settlement Day the Reading Status for a Supplier Unit and Trading Period or for a trading site Supplier Unit and Trading Period will be set as 'estimated' if


data for more than 1% of energised Interval Meter Points is estimated either by the Data Collector or the Data Processor

For a resettlement aggregation run thirteen months or more after the Settlement Day the Reading Status for a Supplier or Generator Unit and Trading Period or for a trading site Supplier Unit and Trading Period will be set as 'estimated' if

• data for more than 0.5% of energised Interval Meter Points is estimated either by the Data Collector or the Data Processor

## 2.2 kWh Market Messages

## 2.2.1 Process Flow Diagram



## 2.2.2 Process Description

Step	Role	Action	Interface
1	NIE Networks	NIE Networks will send an Aggregated Non-Interval Import Data message to the Supplier to advise the total gross Non-Interval import consumption (i.e. consumption for Meter Points with Non-Interval metering) aggregated in Data Aggregation for a Settlement Date. A separate message is sent for each Supplier/Supplier Unit/SSAC combination.  Data is provided per 30-minute Interval for each Supplier/Supplier Unit/SSAC combination.	591 to Supplier
2	NIE Networks	NIE Networks will send an Aggregated Interval Import Data message to the Supplier to advise the total Interval metered consumption (i.e. consumption for Meter Points with Interval metering) aggregated in Data Aggregation for a Settlement Date. A separate message is sent for each Supplier/Supplier Unit/SSAC combination.  There will be <i>no</i> netting of Non-Participant export from the values in this message.  Data is provided per 30-minute Interval for each Supplier/Supplier Unit/SSAC combination.	595 to Supplier
3	NIE Networks	NIE Networks will send an Aggregated Participant Export Data message to the Participant Generator to advise the Interval export at a Participant Generation Unit included in Data Aggregation for a Settlement Date. A separate message is sent for each Participant Generator Unit and Settlement Date.  Data is provided per 30-minute Interval for each Participant Generator Unit.  This message can be sent to a Supplier nominated to receive the message on the Participant Generator's behalf.	594 to Participant Generator / Supplier

Step	Role	Action	Interface
4	NIE Networks	NIE Networks will send a Non-Participant Generator Data message to the Supplier to whom the Non-Participant Generator Unit data is Registered to advise the Interval export at a Non-Participant Generation Unit included in Aggregation for a Settlement Date. A separate message is sent for each Non Participant Generator Unit and Settlement Date.  Data is provided per 30-minute Interval for each Non-Participant Generation Unit.	598 to Supplier